Hip Outcome Score (HOS) Activity of Daily Living Scale

Date:_____ Score:____

Please answer **<u>every question</u>** with <u>one response</u> that most closely describes to your condition within the past week. If the activity in question is limited by something other than your hip, mark <u>not</u>

applicable (N/A).

	No Difficulty at all	Slight Difficulty	Moderate Difficulty	Extreme Difficulty	Unable to do	N/A
Standing for 15 minutes						
Getting into and out of an						
average car						
Walking up steep hills						
Walking down steep hills						
Going up 1 flight of stairs						
Going down 1 flight of stairs						
Stepping up and down curbs						
Deep Squatting						
Getting into and out of a bath tub						
Walking initially						
Walking for approximately 10						
minutes						
Walking 15 minutes or greater						

Because of your hip how much difficulty do you have with:

	No Difficulty at all	Slight Difficulty	Moderate Difficulty	Extreme Difficulty	Unable to do	N/A
Twisting/pivoting on						
involved leg						
Rolling over in bed						
Light to moderate work						
(standing, walking)						
Heavy work (push/pulling,						
climbing, carrying)						
Recreational activities						

How would you rate your current level of function during your usual activities of daily living from 0 to 100 with 100 being your level of function prior to your hip problem and 0 being the inability to perform any of your usual daily activities?



Not Graded:

	No Difficulty at all	Slight Difficulty	Moderate Difficulty	Extreme Difficulty	Unable to do	N/A
Putting on socks and shoes						
Sitting for 15 minutes						

Hip Outcome Score (HOS) Sports Scale

Because of your hip how much difficulty do you have with :

	No Difficulty at all	Slight Difficulty	Moderate Difficulty	Extreme Difficulty	Unable to do	N/A
Running one mile						
Jumping						
Swinging objects like a golf club						
Landing						
Starting and stopping quickly						
Cutting/lateral movements						
Low impact activities like fast						
walking						
Ability to perform activity with						
your normal technique						
Ability to participate in your						
desired sport as long as you						

would like

How would you rate your current level of function during your sports related activities from 0 to 100 with 100 being your level of function prior to your hip problem and 0 being the inability to perform any of your usual daily activities?

.0%

How would you rate your current level of function?

Normal

Nearly normal

Abnormal

Severely abnormal